

.

From: Nassif, Julianne (DPH)
Sent: Monday, May 16, 2011 3:06 PM
To: Kane01, Peter (DPH); Fausett, Gary (DPH)
Subject: FW: gc/ms

Fyi just to keep you informed. We need to identify \$\$\$ for the moving company. Stay tuned.
Julie

From: Hanchett, James (DPH)
Sent: Monday, May 16, 2011 2:19 PM
To: Nassif, Julianne (DPH)
Subject: RE: gc/ms

Hi Julie,

Any day is okay. With court no day is safe, but we will always have someone here. If the software is the same set up should be ok. I will have to wait and see if any assistance is needed.

Jim

From: Nassif, Julianne (DPH)
Sent: Monday, May 16, 2011 2:03 PM
To: Hanchett, James (DPH)
Subject: gc/ms

Hi Jim,
Just a heads up, our new GC/MS has arrived which means your "newer" gc/ms will be ready to ship soon, probably w/in the next few weeks. Are there any days/dates that don't work for you? Will you need help with installation? Pete Kane from our lab offered to help if you need it.
Thanks, Julie

Julianne Nassif
Director of Analytical Chemistry
William A. Hinton State Laboratory
Massachusetts Department of Public Health
305 South Street Boston, MA 02130
617.983.6651 (voice) 617.983.6662 (fax)